



**University of
Zurich**^{UZH}

**Zurich Open Repository and
Archive**

University of Zurich
University Library
Strickhofstrasse 39
CH-8057 Zurich
www.zora.uzh.ch

Year: 2017

Erratum

Nowak, Albina ; Koch, Gilbert ; Huynh-Doc, Uyen ; Siegenthaler, Martin ; Marti, Hans-Peter ; Pfister, Marc

DOI: <https://doi.org/10.1159/000478062>

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-140899>

Journal Article



The following work is licensed under a Creative Commons: Attribution 4.0 International (CC BY 4.0) License.

Originally published at:

Nowak, Albina; Koch, Gilbert; Huynh-Doc, Uyen; Siegenthaler, Martin; Marti, Hans-Peter; Pfister, Marc (2017). Erratum. *Kidney Blood Pressure Research*, 42(2):389.

DOI: <https://doi.org/10.1159/000478062>

Erratum

Acknowledgement

We thank Professor Eva Brand and Doctor Malte Lenders, University Hospital Muenster Germany, for the measurement of the serum-mediated ERT inhibition.

Correction

In the article by Nowak et al., entitled “Disease Progression Modeling to Evaluate the Effects of Enzyme Replacement Therapy on Kidney Function in Adult Patients with the Classic Phenotype of Fabry Disease”, published in Kidney and Blood Pressure Research, 2017;42:001-015 (DOI: 10.1159/000464312), is one error:

On page 5, first paragraph, the sentence: „The median total cumulative dose of the patients receiving agalsidase-b was 0.93 ml/kg [0.83–1.10] and agalsidase-a 0.20 ml/kg [0.18–0.21].“ Should be read as following:

The median total cumulative dose of the patients receiving agalsidase-b was 0.93 mg/kg [0.83–1.10] and agalsidase-a 0.20 mg/kg [0.18–0.21].